SAFETY DATA SHEET



1. Identification

Product identifier MINTREX® Mn Chelated Trace Mineral

Other means of identification None.

Recommended use **Animal Feed Supplement**

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Novus International, Inc. Company name **Address** 17988 Edison Ave,

Chesterfield, MO 63005-3700

United States of America

+1 (314) 576 8886 **Telephone**

+1 (800) 568 0088

E-mail info.na@novusint.com

Emergency phone number

Available 24/7 365

United States +1 202 464 2554

+1 866 928 0789 (Toll free)

Americas (North, Central,

and South)

+1 215 207 0061

Asia Pacific +65 3158 1074 +44 1235 239670 **Europe** +44 1235 239671 Middle East/Africa

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

OSHA defined hazards Combustible dust

Label elements



Signal word Warning

Hazard statement May form combustible dust concentrations in air. May cause an allergic skin reaction.

Precautionary statement

Prevention Prevent dust accumulation to minimize explosion hazard. Keep away from heat/sparks/open

flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Avoid breathing dust. Contaminated work clothing must not be allowed out

of the workplace. Wear protective gloves. Observe good industrial hygiene practices.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Response

Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to

extinguish.

Store away from incompatible materials. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

MINTREX® Mn Chelated Trace Mineral SDS US Issue date: 29-October-2015 927485 Version #: 06 Revision date: 28-March-2024

3. Composition/information on ingredients

Substances

Chemical name		CAS number	%
Manganese methionine hyd analogue chelate	droxy	292140-32-0	85-100
Impurities			
Chemical name	Common name and synonyms	CAS number	%
Nickel		7440-02-0	≤ 0.1

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. In case of eczema or other skin disorders: Seek medical attention Skin contact

and take along these instructions.

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove Eve contact

contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Ingestion

Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and delayed

Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction.

Dermatitis. Rash.

Indication of immediate medical attention and special

treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim

under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Apply extinguishing media carefully to avoid creating airborne dust.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

May form combustible dust concentrations in air.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Use only non-sparking tools. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

MINTREX® Mn Chelated Trace Mineral SDS US 927485 Version #: 06 Revision date: 28-March-2024 Issue date: 29-October-2015 2/8

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Minimize dust generation and accumulation. Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Combustible dust clouds may be created where operations produce fine material (dust). Handling and processing operations should be conducted in accordance with 'best practices' (e.g. NFPA-654). Explosion-proof general and local exhaust ventilation. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Permissible Impurities	Type	Value	,
Nickel (CAS 7440-02-0)	PEL	1 mg/m3	
US. ACGIH Threshold Limit Valu Impurities	es (TLV) Type	Value	Form
Nickel (CAS 7440-02-0)	TWA	1.5 mg/m3	Inhalable fraction.
NIOSH. Immediately Dangerous i Impurities	to Life or Health (IDLH) Values, Type	as amended Value	
Nickel (CAS 7440-02-0)	IDLH	10 mg/m3	
Nickel (CAS 7440-02-0) US. NIOSH: Pocket Guide to Che Impurities		10 mg/m3 Value	

Biological limit values

ACGIH Biological Exposure Indices (BEI)

Impurities	Value	Determinant	Specimen	Sampling Time
Nickel (CAS 7440-02-0)	5 µa/l	Nickel	Urine	*

^{* -} For sampling details, please see the source document.

Exposure guidelines

Provide sufficient ventilation for operations causing dust formation. Follow standard monitoring procedures.

MINTREX® Mn Chelated Trace Mineral SDS US 927485 Version #: 06 Revision date: 28-March-2024 Issue date: 29-October-2015 3/8

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Use only appropriately classified electrical equipment and powered industrial trucks.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Face shield is recommended. Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. Full contact: Glove material: Nitrile. Use gloves with Hand protection

breakthrough time of >480 minutes. Minimum glove thickness 0.28 mm.

Skin protection

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

> limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Wear respirator

with dust filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Powder. Granules.

Color Gray. Dark gray. Dark brown. Characteristic. Sulfurous. Odor

Odor threshold No data available.

pН 5 saturated aqueous solution

Melting point/freezing point Property has not been measured. Initial boiling point and boiling Property has not been measured.

range

Flash point Property has not been measured. Not applicable, material is a solid. **Evaporation rate**

Fine particles may form explosive mixtures with air. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Property has not been measured. Explosive limit - upper (%) Property has not been measured. Not applicable, material is a solid. Vapor pressure Vapor density Not applicable, material is a solid. Relative density Property has not been measured.

Solubility(ies)

Solubility (water) 7.1 % w/w @ 20°C

Partition coefficient Not applicable, product is a mixture.

(n-octanol/water)

Property has not been measured. **Auto-ignition temperature**

MINTREX® Mn Chelated Trace Mineral SDS US **Decomposition temperature** Property has not been measured.

Not applicable, material is a solid. Viscosity

Other information

Bulk density 0.95 g/cm3 (packed)

0.85 g/cm3 (loose)

> 11000 mJ

Dust explosion properties

Kst 64 bar.m/s

St class 1 Weak explosion.

Minimum ignition

energy (MIE) - dust

cloud

Explosive properties Not explosive.

Not applicable, material is a solid. Kinematic viscosity

Oxidizing properties Not oxidizing. Particle size 690 micron

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Keep away from heat, sparks and open flame. Contact with incompatible materials. Minimize dust Conditions to avoid

generation and accumulation.

Strong oxidizing agents.

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin. May cause an allergic skin reaction.

Eye contact Dust may irritate the eyes.

Ingestion May cause discomfort if swallowed.

Symptoms related to the

physical, chemical and toxicological characteristics Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction.

Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Test Results Product Species

MINTREX® Mn Chelated Trace Mineral (CAS Mixture)

Acute Dermal

LD50 Rat > 2000 mg/kg

Inhalation

Aerosolized dust

LC50 Rat > 1.06 mg/l, 4 hours

Oral

LD50 Rat > 2000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Dust may irritate the eyes.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

MINTREX® Mn Chelated Trace Mineral Issue date: 29-October-2015 5/8 927485 Version #: 06 Revision date: 28-March-2024

SDS US

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity This product is not expected to cause mutagenic or genotoxic effects.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Nickel (CAS 7440-02-0) 2B Possibly carcinogenic to humans.

NTP Report on Carcinogens

Nickel (CAS 7440-02-0) Reasonably Anticipated to be a Human Carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

None known. **Further information**

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability Expected to be readily biodegradable.

Bioaccumulative potential No data available.

Mobility in soil This product has very low solubility in water and low mobility in the environment.

Other adverse effects None known.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910,1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Nickel (CAS 7440-02-0) Listed.

SARA 304 Emergency release notification

Not regulated.

MINTREX® Mn Chelated Trace Mineral SDS US Issue date: 29-October-2015 927485 Version #: 06 Revision date: 28-March-2024

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

This substance is not on the TSCA 8(b) inventory or is designated

"inactive".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Combustible dust

categories Respiratory or skin sensitization

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Manganese compounds	Category N450	≤ 5	
Nickel	7440-02-0	≤ 0.1	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Nickel (CAS 7440-02-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Nickel (CAS 7440-02-0)

US. New Jersey Worker and Community Right-to-Know Act

Nickel (CAS 7440-02-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Nickel (CAS 7440-02-0)

US. Rhode Island RTK

Nickel (CAS 7440-02-0)

California Proposition 65



WARNING: This product can expose you to Nickel, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Nickel (CAS 7440-02-0) Listed: October 1, 1989

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No

MINTREX® Mn Chelated Trace Mineral

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 29-October-2015 **Revision date** 28-March-2024

Version # 06

Refer to: **Further information**

OSHA 3371-08 2009. Hazard Communication Guidance for Combustible Dusts

NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing,

Processing, and Handling of Combustible Particulate Solids

NFPA ratings



LD50: Lethal Dose, 50%. List of abbreviations

LC50: Lethal Concentration, 50%.

References IARC Monographs. Overall Evaluation of Carcinogenicity

Novus International, Inc. cannot anticipate all conditions under which this information and its Disclaimer

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

® MINTREX and ® NOVUS are trademarks of Novus International, Inc. and are registered in the

United States and other countries.

© Novus International, Inc. 2024. All rights reserved.

SDS US 927485 Version #: 06 Revision date: 28-March-2024 Issue date: 29-October-2015