SAFETY DATA SHEET



1. Identification

Product identifier	Myco CURB® Dry	
Other means of identification		
Product code	017725	
Recommended use	A dry mold inhibitor for proc	essed feed ingredients and animal feeds.
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	Kemin Industries, Inc.	
Address	2100 Maury Street	
	Des Moines, Iowa 50317	
	United States	
Telephone	(515) 559-5100	
Website	http://www.kemin.com/	
E-mail	media@kemin.com	
Emergency phone number	CHEMTREC	1-800-424-9300

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2B
	Sensitization, skin	Category 1
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning
Hazard statement	May cause an allergic skin reaction. Causes eye irritation. May cause respiratory irritation.
Precautionary statement	
Prevention	Avoid breathing dust. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If on skin: Take off immediately all contaminated clothing. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	99.75, 58.85% of the mixture consists of component(s) of unknown acute dermal toxicity. 99.75% of the mixture consists of component(s) of unknown acute inhalation toxicity. 99.75% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Silicon Dioxide		112926-00-8	3 - < 5
Other components below report	able levels		90 - 100
*Designates that a specific chemic	al identity and/or percentage of composition has	been withheld as a trade sec	ret.
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in a CENTER or doctor/physician if you feel unwell.	position comfortable for brea	athing. Call a POISON
Skin contact	Remove contaminated clothing immediately and eczema or other skin disorders: Seek medical a		
Eye contact	Do not rub eyes. Immediately flush eyes with pl contact lenses, if present and easy to do. Conti develops and persists.		
Ingestion	Rinse mouth. Get medical attention if symptoms	s occur.	
Most important symptoms/effects, acute and delayed	Irritation of eyes. Exposed individuals may expe may irritate the respiratory tract, skin and eyes. Rash.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat Symptoms may be delayed.	symptomatically. Keep victin	n under observation.
General information	If you feel unwell, seek medical advice (show th personnel are aware of the material(s) involved contaminated clothing before reuse.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbor	n dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this	will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pro	tective clothing must be worn	in case of fire.

Use water spray to cool unopened containers.

equipment/instructionsSpecific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsExplosibility - Group A. May form a combustible dust.

6. Accidental release measures

Fire fighting

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Minimize dust generation and accumulation. Collect dust using a vacuum cleaner equipped with HEPA filter. This product is miscible in water. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, Store locked up. Store in original tightly closed container. Store in a well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-3 (29 C Components	Туре	Value
Silicon Dioxide (CAS	TWA	0.8 mg/m3
112926-00-8)		
		20 mppcf
US. NIOSH: Pocket Guide	to Chemical Hazards	
Components	Туре	Value
Silicon Dioxide (CAS 112926-00-8)	TWA	6 mg/m3
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station.	
ndividual protection measure	s, such as personal protective equip	oment
Eye/face protection	Chemical respirator with organic va	apor cartridge, full facepiece, dust and mist filter.
Skin protection		
Hand protection	Wear appropriate chemical resistant	nt gloves.
Other	Wear appropriate chemical resista	nt clothing.
Respiratory protection		pirator if there is a risk of exposure to dust/fume at levels emical respirator with organic vapor cartridge, full facepiece,
Thermal hazards	Wear appropriate thermal protectiv	e clothing, when necessary.
General hygiene considerations	and before eating, drinking, and/or	giene measures, such as washing after handling the material smoking. Routinely wash work clothing and protective s. Contaminated work clothing should not be allowed out of the
9. Physical and chemica	l properties	
Appearance	Powder.	
Physical state	Solid.	
Form	Solid.	
Color	White	
Ddor	Citrus	

Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.0005 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	560 - 720 kg/m³
pH in aqueous solution	7 - 9.5 (10% solution)
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use storage and transport

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Dust or powder may irritate the skin. May cause an allergic skin reaction.
Eye contact	Causes eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	Not known.	
Components	Species	Test Results
Silicon Dioxide (CAS 112	2926-00-8)	
Acute		
Oral		
LD50	Rat	> 22500 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye	Causes eye irritation.
irritation	
Respiratory or skin sensitizatior	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not classifiable as to carcinogenicity to humans.
• •	Evaluation of Carcinogenicity
	926-00-8) 3 Not classifiable as to carcinogenicity to humans. d Substances (29 CFR 1910.1001-1052)
Not regulated. US. National Toxicology Pro	ogram (NTP) Report on Carcinogens
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
12. Ecological information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	
Bioaccumulative potential	
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideration	IS
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to
Annex II of MARPOL 73/78 and
the IBC CodeNot applicable.

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication
	Standard, 29 CFR 1910.1200.

Toxic Substances Control	Act (TSCA)	
TSCA Section 12(b) Ex	port Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Substa	ance List (40 CFR 302.4)	
Not listed. SARA 304 Emergency relea	se notification	
Not regulated.		
	ed Substances (29 CFR 1910.1001-1052)	
Not regulated.		
Superfund Amendments and Re SARA 302 Extremely hazar	eauthorization Act of 1986 (SARA)	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
Classified hazard	Serious eye damage or eye irritation	
categories	Respiratory or skin sensitization	
	Specific target organ toxicity (single or repeated exposure)	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	WARNING: This product contains a chemical known to the State of	California to cause cancer.
California Proposition 65		
California Proposition	65 - CRT: Listed date/Carcinogenic substance	
Butylated Hydroxya	hisole (CAS 25013-16-5) Listed: January 1, 1990	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China –	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by the components of the product are not listed or exempt from listing on the inventor	

16. Other information, including date of preparation or last revision

Issue date	03-16-2018
Revision date	04-16-2019
Version #	05

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.